



**FEDERATION CYNOLOGIQUE INTERNATIONALE (AISBL)**

SECRETARIAT GENERAL: 13, Place Albert 1<sup>er</sup> B – 6530 Thuin (Belgique)

---

**26.10.2021/ EN**

**FCI-Standard N° 310**

## **PERRO SIN PELO DEL PERÚ**

(Peruvian hairless dog)



**TRANSLATION:** Kennel Club Peruano. Official language (ES).

**ORIGIN:** Peru.

**DATE OF PUBLICATION OF THE OFFICIAL VALID STANDARD:** 15.09.2021.

**UTILIZATION:** Companion dog.

**FCI-CLASSIFICATION:** Group 5 Spitz and primitive type.  
Section 6 Dogs of primitive type.  
Without working trial.

**PREAMBLE:** These dogs have been kept as a peculiarity because of their genetic nature, the procreation of dogs with and without hair in the same litter. Lost in the darkness of time the naked variety reached a major milestone when it was officially recognized as a breed native to Peru in 1985, during the ordinary Assembly of the FCI at Amsterdam city, thanks to the initiative of the Cynologist Ermanno Maniero, who did the first breed standard, it was possible that this was registered as a new breed under the name of Peruvian Hairless Dog with the number 310 of the nomenclature.

The recognition of the hairless dog did not eradicate the coated relative into oblivion. Disdained from any breeding program, its current recognition in the light of developments in the study of its genome emphasizes the genetic value of the breed and contributes to its development and preservation. The recognition of the coated variety, for show and for breeding, favours the expansion of genetic variability, improving the breed's strength and attracts new breeders. Initially, the **specimens** of the coated variety to be registered **for the first time**, should be the product of the crossing of two hairless singles duly inscribed in a studbook or **an appendix**, those that can be mated only with specimens of the hairless variety and so subsequently for generations to come. Crosses between dogs of the coated variety are prohibited, such as entry of these to any register without having duly registered parents.

**BRIEF HISTORICAL SUMMARY:** The Peruvian hairless dog, known as “*viringo*”, because of its particular nature, was the subject of obvious curiosity by the Peruvians from different times. Because of the allocation of different properties, they are seen on ceramics of different cultures pre-Incas like Vicus, Mochica, Chancay, Chancay with Tiahuanaco influence, Chimu and others where in many cases the hairless dog has replaced the puma, the snake or the hawk, standing with the greatest interest in the Chancay culture. As seen in these illustrations, the hairless dog makes its appearance in the archaeological periods of Pre-Inca times, from 300 BC until 1460 AD.

**GENERAL APPEARANCE:** Going by his general conformation, it is an elegant and slim dog, whose aspect expresses speed, strength and harmony without ever appearing coarse. There are two varieties, the hairless whose main feature is the absence of hair all over the body and the coated variety, that is entirely coated.

Another particular feature is that the dentition in the hairless variety is nearly always incomplete associated with the congenital alopecia.

**IMPORTANT PROPORTIONS:** The ratio between the height at the withers and the length of the body is 1 : 1; the females can be slightly longer than the males.

**BEHAVIOUR/TEMPERAMENT:** Noble and affectionate at home with those close to him, at the same time lively and alert; he might be wary of strangers and is a good watch dog.

**HEAD:** Of lupoid conformation.

#### **CRANIAL REGION:**

**Skull:** Mesocephalic. Orthoid, i.e. the upper axes of the skull and muzzle are parallel; a slight divergence is accepted. Seen from above, the skull is broad and the head tapers toward the nose. The superciliary arches are moderately developed. The occipital protuberance is barely marked.

**Stop:** Slightly marked (approximately 140°).

**FACIAL REGION:**

**Nose:** Good pigmentation, the colour of the nose must be in harmony with the different colours of the skin; in the different shades in the hairless variety and with the colour of the hair in the coated variety.

**Muzzle:** Seen in profile, the nasal bridge is straight.

**Lips:** They must be as tight as possible and close to the gums.

**Jaws/Teeth:** The incisors should fit in scissor bite. In the hairless variety the absence of one or more teeth is accepted. In the coated variety the dentition must be complete with teeth normally developed and in a normal position. The jaw is not strongly developed.

**Cheeks:** Developed without exaggeration.

**Eyes:** Alert and intelligent expression. The eyes must be of average dimensions, slightly almond shaped, neither deep-set nor prominent, normally and regularly placed, i.e. neither too close together nor too wide apart. The colour can vary from black, going through all shades of brown to yellow, in harmony with the skin colour in the naked variety and with the coat in the variety with hair. In any case, both eyes must be of the same colour. The colour of the eyelids may go from black to pink in subjects with light coloured face. The light pink colours are admitted but not sought after.

**Ears:** The ears must be pricked when the dog is attentive, whereas at rest, they are laid towards the back. The ears are of medium length; broad at the base, tapering progressively towards the tip, ending almost pointed. The ear set starts on the upper part of the skull to end laterally and obliquely. In erect position, the axes of the ears form a variable angle from 50° to near 90°.

**NECK:**

**Upper profile:** Curved (convex).

**Length:** Approximately the same length as the head.

**Shape:** Near to a truncated cone shape, supple, with good musculature.

**Skin:** Fine, smooth, elastic and really close to the subcutaneous tissues. No dewlap.

**BODY:** Mesomorphic.

Topline: Level, although certain subjects show a dorsal-lumbar convexity, which disappears at croup level.

Withers: Barely accentuated.

Back: Straight, with well-developed back muscles often forming all along the back a muscular bi-convexity, which extends to the lumbar region.

Loin: Strong and well-muscled. Its length reaches approximately 1/5 of the height at the withers.

Croup: The superior profile is slightly convex, slanting approximately 40° to the horizontal. Solid and well-muscled giving a good push.

Chest: Seen from the front, the chest perimeter must have good amplitude, but without excess; reaching almost to the elbow. The ribs must be slightly sprung, never flat. The chest, measured behind the elbows, must exceed the height at the withers with approximately 18%.

Underline and belly: The lower profile presents an elegant and well-marked line which goes from the lower part of the chest and rising to the belly which must be well tucked up, but without excess.

**TAIL:** The tail is set on low, thick at the root it tapers towards the tip. When excited, the dog can carry the tail raised in a loose curve above the backline, but never as curved as being rolled up. At rest, it hangs with a slight upward curve at the tip. The tail is sometimes carried tucked in towards the abdomen. In length it almost reaches the hock. Tail to be complete.

## **LIMBS**

### **FOREQUARTERS:**

General appearance: Well united with the body, seen from the front they are perfectly upright with the elbows not turned out. The angle at the shoulder/upper arm varies between 100° and 120°. \_Seen in profile, the angle is 15° to 20°.

Forefeet: Are semi-long and look like hare-feet. The pads are strong and heat-resistant. The inter-digital membranes are well developed. The black dogs have preferably black nails and the lighter coloured dogs light nails.

#### HINDQUARTERS:

General appearance: The muscles are rounded and elastic. The curve of the buttocks is well marked. The coxo-femoral angle varies between 120° and 130°. The femoro-tibial angle must be of 140°. Seen from behind the hindquarters must be upright.

Hind feet: Same as forefeet.

GAIT / MOVEMENT: Due to the angulations defined at the description of the limbs, some of these dogs move with shorter steps but faster and at the same time quite soft and flexible. The limbs, seen from front or behind must move in a single line (i.e. single tracking).

SKIN: The skin must be smooth and elastic all over the body, but can form a few rounded almost concentric lines on the head and round the eyes and the cheeks in the hairless variety. It has been verified that the internal and external temperature of the hairless dogs is exactly the same as that of other breeds (coated or not). The absence of hair leads to an immediate and direct emanation of heat, different from the coated subjects, where the heat filters through the coat by natural ventilation.

#### Colour:

The colour of the skin in the hairless variety can vary from black, slate black, elephant black, bluish black, the whole scale of greys (diluted black), **bronze, copper**, dark brown going to light blond. All colours can be either uniform or show **depigmented areas** in any part of the body, **preferably on the chest, legs and tail**, nevertheless, **the extension** should not be more than **20 %** of all the body. **In equal conditions** it is preferred solid colours.

**COAT:**

Hairless variety: Without hair, only very few hairs on the head and at the extremities of the legs and the tail are admitted, and sometimes sparse hair on the back. These hairs can be any colour or combination of colours.

Coated variety: Smooth, short and tight coat. The hair can be any colour or combination of colours, **except merle**.

**SIZE AND WEIGHT:**

There are three sizes in the males and females.

Small: 25–40 cm.

Medium: 41–50 cm.

Large: 51–65 cm.

The weight is in relation to the size.

Small: 4–8 kg.

Medium: 8–12 kg.

Large: 12–30 kg.

**FAULTS:**

Any departure from the foregoing points should be considered a fault and the seriousness with which the fault should be regarded should be in exact proportion to its degree and its effect upon the health and welfare of the dog.

- Semi-erect ears, one or both.
- Pincer bite.
- Absence of PM1 in the coated variety.
- White or pink spots covering more than 1/3 of the body in the hairless variety.
- Presence of dewclaws.

**DISQUALIFYING FAULTS:**

- Aggressive or overly shy dogs.
- Any dog clearly showing physical or behavioural abnormalities.
- Over or undershot bite.

- Deviated jaw (i.e. wry mouth).
- More than one teeth missing in the coated variety.
- Hanging or cropped ears.
- Tongue normally hanging outside of the mouth (paralyzed).
- Eyes of different colour (heterochromatic)
- Tail-less, short tail or docked tail.
- Presence of hair in the hairless variety on parts of the body not indicated in the standard.
- **More than 20% of the body is depigmented in the hairless variety.**
- **Merle coat colour in the coated variety.**
- Total or partial de-pigmented nose.
- Height more than 65 cm and less than 25 cm.
- Albinism.

**N.B.:**

- Male animals should have two apparently normal testicles fully descended into the scrotum.
- Only functionally and clinically healthy dogs, with breed typical conformation.

**The latest amendments are in bold characters.**



## SURFACE ANATOMY

